



NOVOLUX
LIGHTING

2021

residential & architectural outdoor




.bora N



037A-G21X1A-30 ■


GU10 LED 4,5W max.

Doble posición del portalámparas.
Double positioning of the lamp holder.
Double position de la douille.
Dupla posição del casquilho.



N **037D-G21X1A-30** ■

GU10 LED 3,5W max.




.bora



037B-G21X1A-30 ■

GU10 LED 4,5W max.

Doble posición del portalámparas.
Double positioning of the lamp holder.
Double position de la douille.
Dupla posição del casquilho.



30 Inox / Stainless steel / Acier inoxydable / Aço inox





Lámpara incluida
Lamp included
Lampe incluse
Lâmpada incluída




379A-G31X1A-30

GX53 LED T2 3W 350lm 4000K



379B-G31X1A-30

GX53 LED T2 3W 350lm 4000K





30 Inox / Stainless steel / Acier inoxydable / Aço inox





.puelche





257C-L0215B-30

LED SMD 15W 1110lm 4000K




30 Inox / Stainless steel / Acier inoxydable / Aço inox

.martina



645A-L0207A-04 ■

LED SMD 7W 744lm 4000K




.martina




645B-L0207A-04 ■

LED SMD 7W 744lm 4000K






.berna



912A-L0101F-30 

LED SMD 0,9W 19lm 3000K



 Inox / Stainless steel / Acier inoxydable / Aço inox






Lámpara incluida
 Lamp included
 Lampe incluse
 Lâmpada incluída

949A-L3111A-01 
 949A-L3111A-02 
 949A-L3111A-03 

R7s LED Bulb 11W max. 1200lm 3000K




01 Blanco / White / Blanc / Branco 02 Negro / Black / Noir / Preto 03 Gris / Grey / Gris / Cinzento



107I-L0212B-01 ☐

LED SMD 12W 840lm 4000K




Con entrada lateral.
With side inlet.
Avec entrée latérale.
Com entrada lateral.



107J-L0212B-01 ☐

LED SMD 12W 840lm 4000K



Con entrada lateral.
With side inlet.
Avec entrée latérale.
Com entrada lateral.




.pampero

ALU GLASS MAT LED IP 65 110V 240V AC

232A-G05X1A-01 ☐
232A-G05X1A-03 ☐

E27 Led/Fluo 11W max.



01 Blanco / White / Blanc / Branco

03 Gris / Grey / Gris / Cinzento




.tramuntana



110V
240V
AC

323A-G05X1A-02 ■
323A-G05X1A-03 ■


E27 Led/Hal/Fluo 2x 20W max.



02 Negro / Black / Noir / Preto

03 Gris / Grey / Gris / Cinzento

.piro




559A-G31X1A-01 ☐
559A-G31X1A-03 ☐

GX53 LED T2 3W 350lm 3000K

Lámpara incluida
Lamp included
Lampe incluse
Lâmpada incluída




.piro



559B-G31X1A-01 ☐
559B-G31X1A-02 ☒
559B-G31X1A-03 ☐

GX53 LED T2 11W 1300lm 3000K

Lámpara incluida
Lamp included
Lampe incluse
Lâmpada incluída




.piro



559C-G31X1A-01 ☐
559C-G31X1A-02 ☒

GX53 LED T2 11W 1300lm 3000K

Lámpara incluida
Lamp included
Lampe incluse
Lâmpada incluída



01 Blanco / White / Blanc / Branco

02 Negro / Black / Noir / Preto

03 Gris / Grey / Gris / Cinzento




.mist

N

RESIN PMMA OPAL IP 55 CRI >80 220V 240V AC 25,000h U.V. TREATED

SEA SIDE SUITABLE



948A-L3110A-01 ☐
948A-L3110A-02 ☒
948A-L3110A-03 ☐

Lámpara incluida
Lamp included
Lampe incluse
Lâmpada incluída

GX53 LED Bulb 10W 1200lm 3000K



01 Blanco / White / Blanc / Branco

02 Negro / Black / Noir / Preto

03 Gris / Grey / Gris / Cinzento


.abar

ALU PC OPAL LED IP 54 IK 05 CRI >80 ASIM 60° 220V 240V AC 25,000h



847A-L0107B-01
 847A-L0107B-02
 847A-L0107B-04

LED SMD 7W 650lm 3000K



01 Blanco / White / Blanc / Branco

02 Negro / Black / Noir / Preto


04 Antracita / Anthracite / Anthracite



947A-L3104A-01 ☐
 947A-L3104A-02 ☒
 947A-L3104A-03 ☐

R7s LED Bulb 3W 400lm 3000K


Lámpara incluida
 Lamp included
 Lampe incluse
 Lâmpada incluída



947B-L3109A-01 ☐
 947B-L3109A-02 ☒
 947B-L3109A-03 ☐

R7s LED Bulb 7,5W 850lm 3000K


Lámpara incluida
 Lamp included
 Lampe incluse
 Lâmpada incluída



947C-L3111A-01 ☐
 947C-L3111A-02 ☒
 947C-L3111A-03 ☐

R7s LED Bulb 10,5W máx. 1100lm 3000K

Lámpara incluida
 Lamp included
 Lampe incluse
 Lâmpada incluída







.gunther Ø48



SEA SIDE
SUITABLE

110V
240V
AC

407D-G31X1A-02 ■

GX53 LED 6x 7W

GX53 LED 6x 10W



407D-M0570B-02 ■

E27 HIE 70W max.

110V
240V
AC

407E-G31X1A-02 ■

GX53 LED 2x (6x 7W)

GX53 LED 2x (6x 10W)



407E-M0570B-02 ■

E27 HIE 2x 70W max.




Postes/Pole/Mât/Postes



C04A-32-02 ■

C04B-32-02 ■

C06C-31-02 ■



Kit de substitución GUNTHER Ø48 E27 a LED / GUNTHER Ø48 E27 Replacement Kit to LED

Kit de remplacement GUNTHER Ø48 E27 à LED / Kit de Substituição GUNTHER Ø48 E27 para LED

(LAMP INCL.)



SAVE -50%

GX53 LED T2 6 x7W 4200lm 4000K → HQI 70W

42W → **84W**

B07A-L31E7A-00

02 Negro / Black / Noir / Preto





.gunther Ø48



110V
240V
AC


SEA SIDE
SUITABLE



407B-G31X1A-02 ■

GX53 LED 6x 7W

GX53 LED 6x 10W



.gunther Ø60



110V
240V
AC

408B-G31X1A-02 ■

GX53 LED 9x 7W


GX53 LED 9x 10W



220V
240V
AC

408B-M0570B-02 ■

E27 HIE 70W max.



Kit de sustitución GUNTHER Ø60 E27 a LED / GUNTHER Ø60 E27 Replacement Kit to LED

Kit de remplacement GUNTHER Ø60 E27 à LED / Kit de Substituição GUNTHER Ø60 E27 para LED (LAMP INCL.)



SAVE -45%		→	
	GX53 LED T2 9x 7W 6300lm 4000K		HQI 70W
	63W		115W
B07B-L31E9A-00			

02 Negro / Black / Noir / Preto





.gunther Ø60



SEA SIDE
SUITABLE

110V
240V
AC

408D-G31X1A-02 ■

GX53 LED 9x 7W - 9x 10W



220V
240V
AC

408D-M0570B-02 ■

E27 HIE 70W max.

110V
240V
AC

408E-G31X1A-02 ■



GX53 LED 2x (9x 7W) - 2x (9x 10W)



220V
240V
AC

408E-M0570B-02 ■

E27 HIE 2x 70W max.



Postes/Pole/Mât/Postes




C04A-32-02 ■

C04B-32-02 ■

C04C-32-02 ■

C04D-32-02 ■



Kit de substitución GUNTHER Ø60 E27 a LED / GUNTHER Ø60 E27 Replacement Kit to LED
Kit de remplacement GUNTHER Ø60 E27 à LED / Kit de Substituição GUNTHER Ø60 E27 para LED (LAMP INCL.)



SAVE
-45%



GX53 LED T2 9x 7W 6300lm 4000K → HQI 70W
63W **115W**

B07B-L31E9A-00

02 Negro / Black / Noir / Preto





.gunther top



IP
65

U.V.
TREATED




110V
240V
AC

SEA SIDE
SUITABLE



655A-G31X1A-02 ■

GX53 LED 9x 7W - 9x 10W



Postes/Pole/Mât/Postes




C04A-32-02 ■

C04B-32-02 ■

C04C-32-02 ■

C04D-32-02 ■



Kit de substitución GUNTHER TOP Ø60 E27 a LED / GUNTHER TOP Ø60 E27 Replacement Kit to LED

Kit de remplacement GUNTHER TOP Ø60 E27 à LED / Kit de Substituição GUNTHER TOP Ø60 E27 para LED (LAMP. INCL.)



SAVE -45%		
GX53 LED T2 9x 7W 6300lm 4000K	→	HQI 70W
63W		115W
B07B-L31E9A-00		

02 Negro / Black / Noir / Preto



.globos y soportes para postes Ø60 / .globes and supports to poles Ø60
 .globes et supports pour mâts Ø60 / .globos e suportes para postes Ø60



A22A-128-29 Ø400
 A22B-128-29 Ø500



IP 55 110V 240V AC PA

B12A-G05X1A-02 ■
 E27 HAL 70W max.


02 Negro / Black / Noir / Preto

29 Transparente / Transparent / Transparent / Transparente



554A-L0108A-04 ■


LED SMD 8W 800lm 3000K





455B-L0110B-01 □

455B-L0110B-04 ■

LED COB AC 10W 1100lm 3000K








.odin **N**

ALU PC OPAL + PC TRANS LED IP 65 IK 06 CRI >80 30,000h 110V 240V AC




941A-L0106A-04 ■

LED SMD 6W 780lm 3000K



941B-L0106A-04 ■

LED SMD 6W 780lm 3000K



04 Antracita / Anthracite / Anthracite / Anthracite









.portofino

TERMO
PLASTIC



IP
65




110V
240V
AC




858A-G05X1B-02 ■

E27 LED 12 lampholder lamp Ø45



Ampliable por tramos de 12 lámparas/tramo; máximo 720W totales.
Scalable by sections of 12 lamps/section; maximum 720w total.
Embrochable par section de 12 lampes/section; maximum 720W totale.
Ampliável por troços de 12 lâmpadas/troço; máximo 720W totais.



Kit 12 Lámparas / 12 lamps kit / Kit 12 lampes / Kit 12 lâmpades



858A-K12-632H-01

12x (E27 LED 4W 470lm 3000K) Lamp 45




858A-K12-632J-01

12x (E27 LED 3W 330lm 3000K)



02 Negro / Black / Noir / Preto






289B-L0104B-03

 289B-L0104B-04

 LED SMD 3W 367lm 3000K



N 289B-L0204B-03

 N 289B-L0204B-04


 LED SMD 3W 389lm 4000K



N 289C-L0110B-03

 N 289C-L0110B-04

 LED SMD 9W 1100lm 3000K



N 289C-L0210B-03

 N 289C-L0210B-04


 LED SMD 9W 1165lm 4000K



N 289D-L0104B-03

 N 289D-L0104B-04

 LED SMD 4W 544lm 3000K



N 289D-L0204B-03

 N 289D-L0204B-04


 LED SMD 4W 576lm 4000K



N 289E-L0110B-03

 N 289E-L0110B-04

 LED SMD 9W 1100lm 3000K



N 289E-L0210B-03

 N 289E-L0210B-04

 LED SMD 9W 1165lm 4000K






261C-L0105B-04 ■

LED SMD AC 4W 400lm 3000K

261C-L0205B-04 ■

LED SMD AC 4W 420lm 4000K



Consultar otras opciones de acabado.
Consult other finishing options.
Consultez les autres options de finition.
Consulte outras opções de acabamento.

01 90




261A-L0109B-04 ■

LED SMD AC 13W 1710lm 3000K

261A-L0209B-04 ■

LED SMD AC 13W 1790lm 4000K



Consultar otras opciones de acabado.
Consult other finishing options.
Consultez les autres options de finition.
Consulte outras opções de acabamento.

01 90

-04 ■ Antracita / Anthracite / Anthracite / Antracite



IP
65

IK
10



220V
240V
AC

CRI
>80

FP
0,90

ALU

GLASS
MAT




923B-L3105B-04 ■

LED SMD AC 5W 540lm 3000K

923B-L3305B-04 ■

LED SMD AC 5W 580lm 4000K




923A-L3113B-04 ■

LED SMD AC 13W 1410lm 3000K

923A-L3313B-04 ■

LED SMD AC 13W 1510lm 4000K



01

Consultar otras opciones de acabado.
Consult other finishing options.

90

Consultez les autres options de finition.
Consulte outras opções de acabamento.

-04 ■ Antracita / Anthracite / Anthracite / Antracite




.suri big **N**




N **303A-L0106A-04** ■
LED SMD 6W 800lm 3000K

303A-L0206A-04 ■
LED SMD 6W 800lm 4000K




N **303B-L0106A-04** ■
LED SMD 6W 800lm 3000K

303B-L0206A-04 ■
LED SMD 6W 800lm 4000K



N **303C-L0106A-04** ■
LED SMD 6W 800lm 3000K

303C-L0206A-04 ■
LED SMD 6W 800lm 4000K



-04 ■ Antracita / Anthracite / Anthracite /Antracite



IP
65

IK
05



110V
240V
AC


ALU

GLASS
MAT




576A-G31X1A-30

GX53 LED T2 3W



576B-G31X1A-03


GX53 LED T2 3W



-03 ■ Gris / Grey / Gris / Cinzento -30 ■ Inox / Stainless steel / Inox / Inox



Disponibile con óptica de 14° y 58°
2 different lense of 14° and 58°
Disponibile avec optique 14° et 58°
Disponível com ótica 14° e 58°




N 479C-L0118B-30
LED COB 18W 2172lm 3000K

N 479C-L0218B-30
LED COB 18W 2205lm 4000K

N 479C-L0126B-30
LED COB 26W 2967lm 3000K

N 479C-L0226B-30
LED COB 26W 3012lm 4000K



Empotramiento reducido
Low profile
Encastrament réduit
Encastrável reduzido

ASIM
15°
479B-L0126B-30
LED COB 26W 2967lm 3000K

479B-L0226B-30
LED COB 26W 3012lm 4000K


Consultar opciones de regulación: DALI
Consult regulation options: DALI
Consultez les options de réglementation: DALI
Consulte as opções de regulamentação: DALI



Disponibile con óptica de 24° y 60°
2 different lense of 24° and 60°
Disponibile avec optique 24° et 60°
Disponível com ótica 24° e 60°


N 481B-L0107B-30
LED COB 6,5W 904lm 3000K

N 481B-L0207B-30
LED COB 6,5W 918lm 4000K



N 481B-L0112B-30
LED COB 12W 1550lm 3000K

N 481B-L0212B-30
LED COB 12W 1573lm 4000K



-30 Inox / Stainless steel / Inox / Inox





.mitra



Intermitente / Flashing / Clignotante / Intermitente


208A-L02X1K-03 ☐ ☐

208A-L07X1K-03 ☐ ☐

Fijo / Steady / Fixe / Fixa

208B-L02X1K-03 ☐ ☐

208B-L07X1K-03 ☐ ☐



Intermitente / Flashing / Clignotante / Intermitente



208C-L02X1K-03 ☐ ☐

208C-L07X1K-03 ☐ ☐

Fijo / Steady / Fixe / Fixa

208D-L02X1K-03 ☐ ☐

208D-L07X1K-03 ☐ ☐



Tiempo de carga: 3/8h
Duración carga completa: 16h
Nivel sensor: 150/350 lux
Amplitud térmica: -25° +60 °C

Loading time: 3/8h
Full load duration: 16h
Sensor level: 150/350 lux
Thermal amplitude: -25° +60 °C

Temps de chargement: 3/8hrs
Durée pleine charge: 16hrs
Niveau détecteur: 150/350 lux
Amplitude thermique: -25° +60 °C

Tempo de carga: 3/8h
Duração carga completa: 16h
Nível de sensor: 150/350 lux
Amplitude térmica: -25° +60 °C


.utu mini



Fijo / Steady / Fixe / Fixa

338A-L02X1K-29 ☐ ☐

338A-L07X1K-29 ☐ ☐




.utu round



Fijo / Steady / Fixe / Fixa

339A-L02X1K-29 ☐ ☐

339A-L07X1K-29 ☐ ☐



Tiempo de carga: 3/8h
Duración carga completa: 18h
Nivel sensor: 150/350 lux
Amplitud térmica: -25° +60 °C

Loading time: 3/8h
Full load duration: 18h
Sensor level: 150/350 lux
Thermal amplitude: -25° +60 °C

Temps de chargement: 3/8hrs
Durée pleine charge: 18hrs
Niveau détecteur: 150/350 lux
Amplitude thermique: -25° +60 °C

Tempo de carga: 3/8h
Duração carga completa: 18h
Nível de sensor: 150/350 lux
Amplitude térmica: -25° +60 °C

-03 ☐ Gris / Grey / Gris / Cinzento

-29 ☐ Transparente / Transparent / Transparent / Transparente

Consultar otros colores disponibles / Check other available colors / Vérifier les autres couleurs disponibles / Verifique outras cores disponíveis





920M-L3122B-30 
LED SMD 22W 2660lm 3000K

920M-L3322B-30 
LED SMD 22W 2800lm 4000K



920N-L3122B-30 
LED SMD 22W 2660lm 3000K

920N-L3322B-30 
LED SMD 22W 2800lm 4000K






920O-L3147B-30 
LED SMD 47W 5320lm 3000K

920O-L3347B-30 
LED SMD 47W 5600lm 4000K




920P-L3147B-30 
LED SMD 47W 5320lm 3000K

920P-L3347B-30 
LED SMD 47W 5600lm 4000K







920M-L1440F-30     
 LED SMD 40W 2770lm RGBW



920O-L1480F-30     
 LED SMD 80W 5540lm RGBW




Led Driver 24V DC decoder DMX512 remotos a consultar.
 Remote Led Driver 24V DC and decoder under request.
 Remote led Driver 24V DC et decoder sous demande.
 Led Driver 24V DC decoder DMX512 remoto a consultar.





.walk





920G-L3112B-30 
LED SMD 12W 1740lm 3000K


920G-L3312B-30 
LED SMD 12W 1840lm 4000K

920H-L3124B-30 
LED SMD 24W 3480lm 3000K

920H-L3324B-30 
LED SMD 24W 3680lm 4000K



-30  Inox / Stainless steel / Inox / Inox



3 LED

Intermitente / Flashing / Clignotante / Intermitente

152A-L02X1K-03 ☐

152A-L07X1K-03 ☐

Fijo / Steady / Fixe / Fixa

152B-L02X1K-03 ☐

152B-L07X1K-03 ☐



3+3 LED

Intermitente / Flashing / Clignotante / Intermitente

152C-L02X1K-03 ☐

152C-L07X1K-03 ☐

Fijo / Steady / Fixe / Fixa

152D-L02X1K-03 ☐

152D-L07X1K-03 ☐

IP 68

IK 10

10°

ALU

PC TRANS

Tiempo de carga: 3/8h
Duración carga completa: 16h
Nivel sensor: 150/350 lux
Amplitud térmica: -25° +60 °C

Loading time: 3/8h
Full load duration: 16h
Sensor level: 150/350 lux
Thermal amplitude: -25° +60 °C

Temps de chargement: 3/8hrs
Durée pleine charge: 16hrs
Niveau détecteur: 150/350 lux
Amplitude thermique: -25° +60 °C

Tempo de carga: 3/8h
Duração carga completa: 16h
Nível de sensor: 150/350 lux
Amplitude térmica: -25° +60 °C




-03 ☐ Gris / Grey / Gris / Cinzento




965A-G21X1A-NB ■
965A-G21X1A-NN ■
965A-G21X1A-NR ■
965A-G21X1A-NW ■

GU10 2x 12W max.



965B-G21X1A-NB ■
965B-G21X1A-NN ■
965B-G21X1A-NR ■
965B-G21X1A-NW ■

GU10 2x 12W max.



Accesorio:

Conector IP67 incluido / IP67 connector included / Connecteur IP67 inclus / Conector IP67 incluido







965C-L3112A-NB ■

965C-L3112A-NN ■

965C-L3112A-NR ■

965C-L3112A-NW ■

LED SMD 12W 825lm 3000K



Accesorio:

Conector IP67 incluido / IP67 connector included / Connecteur IP67 inclus / Conector IP67 incluido

-NB ■ Hormigón antracita / Anthracite concrete

-NN ■ Hormigón natural / Natural concrete

-NR ■ Hormigón rojo / Red concrete



-NW ■ Hormigón blanco / White concrete





- 561A-L0109B-01
- 561A-L0109B-03
- 561A-L0109B-04

LED SMD AC 8,7W 1050lm 3000K




- 561A-L0209B-01
- 561A-L0209B-03
- 561A-L0209B-04

LED SMD AC 8,7W 1120lm 4000K



- 561B-L0120B-01
- 561B-L0120B-03
- 561B-L0120B-04

LED SMD AC 20W 2300lm 3000K



- 561B-L0220B-01
- 561B-L0220B-03
- 561B-L0220B-04

LED SMD AC 20W 2350lm 4000K



IP
65IK
09CRI
>90220V
240V
AC


580A-L0104B-03



580A-L0104B-04



LED SMD 3W 367lm 3000K



N 580A-L0204B-03



N 580A-L0204B-04



LED SMD 3W 389lm 4000K




580B-L0110B-03



580B-L0110B-04



LED SMD 9W 1100lm 3000K



N 580B-L0210B-03



N 580B-L0210B-04



LED SMD 9W 1165lm 4000K




N 580C-L0104B-03



N 580C-L0104B-04



LED SMD 4W 544lm 3000K



N 580C-L0204B-03



N 580C-L0204B-04



LED SMD 4W 576lm 4000K




N 580D-L0110B-03



N 580D-L0110B-04



LED SMD 9W 1100lm 3000K



N 580D-L0210B-03




N 580D-L0210B-04



LED SMD 9W 1165lm 4000K

-03 ■ Gris / Grey / Gris / Cinzento

-04 ■ Antracita / Anthracite / Anthracite / Antracite






920A-L 3122B-03 
 LED SMD 22W 2660lm 3000K

920A-L 3322B-03 
 LED SMD 22W 2800lm 4000K



920B-L 3122B-03 
 LED SMD 22W 2660lm 3000K

920B-L 3322B-03 
 LED SMD 22W 2800lm 4000K




920C-L 3147B-03 
 LED SMD 47W 5320lm 3000K

920C-L 3347B-03 
 LED SMD 47W 5600lm 4000K




920D-L 3147B-03 
 LED SMD 47W 5320lm 3000K

920D-L 3347B-03 
 LED SMD 47W 5600lm 4000K







920A-L1440F-03   
LED SMD 40W 2770lm RGBW



920C-L1480F-03   
LED SMD 80W 5540lm RGBW





Led Driver 24V DC Decoder DMX512 remotos a consultar.
 Remote Led Driver 24V DC and Decoder under request.
 Remote led Driver 24V DC et decoder sous demande.
 Led Driver 24V DC Decoder DMX512 remoto a consultar.





LED COB 12W 1800lm 3000K

Con piqueta.
With spike.
Avec pic.
Com piquet.




402B-L0139B-02

LED COB 39W 4900lm 3000K



Disponível com ópticas diferentes (17° - 55° - 70°)
Available in beams (17° - 55° - 70°)
Disponível avec optiques différentes (17° - 55° - 70°)
Disponível com ópticas diferentes (17° - 55° - 70°)




402C-L0151B-02

LED COB 51W 6400lm 3000K



Disponível com ópticas diferentes (17° - 55° - 70°)
Available in beams (17° - 55° - 70°)
Disponível avec optiques différentes (17° - 55° - 70°)
Disponível com ópticas diferentes (17° - 55° - 70°)




402D-L0175B-02

LED COB 75W 9900lm 3000K



Disponível com ópticas diferentes (25° - 60° - 70°)
Available in beams (25° - 60° - 70°)
Disponível avec optiques différentes (25° - 60° - 70°)
Disponível com ópticas diferentes (25° - 60° - 70°)



*Consultar disponibilidad en 4000K.
* Check availability in 4000K.
* Vérifier la disponibilité en 4000K.
* Verifique a disponibilidade em 4000K.



Consultar disponibilidad en: DALI.
Check availability at: DALI.
Vérifier la disponibilité sur: DALI.
Verifique a disponibilidade em: DALI.

-02 ■ Negro / Black / Noir / Preto





922A-L3108B-04 ■

LED COB AC 8W 700lm 3000K

922A-L3308B-04 ■

LED COB AC 8W 735lm 4000K





922B-L3108B-04 ■

LED COB AC 8W 700lm 3000K

922B-L3308B-04 ■

LED COB AC 8W 735lm 4000K


Piqueta / Spike / Piquet / Piquet



-02 ■ Negro / Black / Noir / Preto -04 ■ Antracita / Anthracite / Anthracite / Antracite



Piqueta / Spike / Piquet / Piquet



922C-L 3114B-04

LED COB 14W 1670lm 3000K

922C-L 3314B-04

LED COB 14W 1760lm 4000K



922D-L 3114B-04

LED COB 14W 1670lm 3000K

922D-L 3314B-04

LED COB 14W 1760lm 4000K



Consultar opciones de regulación: DALI

Consult regulation options: DALI

Consultez les options de réglementation: DALI

Consulte as opções de regulamentação: DALI



-02 ■ Negro / Black / Noir / Preto -04 ■ Antracita / Anthracite / Anthracite / Antracite



092A-G05X1A-02



092A-G05X1A-03



E27 Led/Hal 70W max.



N 092A-L0118B-02



N 092A-L0118B-03



LED COB 18W 2172lm 3000K



N 092A-L0218B-02



N 092A-L0218B-03



LED COB 18W 2205lm 4000K



N 092B-L0118B-02



N 092B-L0118B-03



LED COB 18W 2172lm 3000K




N 092B-L0218B-02



N 092B-L0218B-03



LED COB 18W 2205lm 4000K




Consultar opciones de regulación: DALI

Consult regulation options: DALI

Consultez les options de réglementation: DALI

Consulte as opções de regulamentação: DALI



-02 ■ Negro / Black / Noir / Preto

-03 ■ Gris / Grey / Gris / Cinzento



IP
55



CRI
>80



50,000h

L80
B20



220V
240V
AC

ALU

PMMA
MAT



N 492A-L0105B-02 ■


N 492A-L0105B-90 ■

LED COB 6W 444lm 3000K

492A-L0205B-02 ■

492A-L0205B-90 ■

LED COB 6W 498lm 4000K



-02 ■ Negro / Black / Noir / Preto -90 ■ Marrón óxido / Oxide brown / Røville / Marrom óxido



IP 65

IK 08



CRI >80



932A-L3133B-02 ■



932A-L3133B-90 ■

LED 33W 5000lm 3000K

N 932A-L3333B-02 ■

N 932A-L3333B-90 ■

LED 33W 5240lm 4000K



932B-L3133B-02 ■

932B-L3133B-90 ■

LED 33W 5000lm 3000K

N 932B-L3333B-02 ■

N 932B-L3333B-90 ■

LED 33W 5240lm 4000K



Consultar opciones de regulación: PUSH 1-10V DALI

Consult regulation options: PUSH 1-10V DALI


Consultez les options de réglementation: PUSH 1-10V DALI

Consulte as opções de regulamentação: PUSH 1-10V DALI




-02 ■ Negro / Black / Noir / Preto -90 ■ Marrón óxido / Oxide brown / Rovéille / Marrom óxido






351A-G05X1A-04 ■

E27 Led/Hal 70W max.



351B-G05X1A-04 ■

E27 Led/Hal 70W max.



-04 ■ Antracita / Anthracite / Anthracite / Anthracite




351E-M05C6B-04 ■

E27 HAL 2x 70W (>3,6kV)

351C-M05C6B-04 ■

E27 HAL 2x 70W (>3,6kV)



351E-M05C6B-04

351C-M05C6B-04

-04 ■ Antracita / Anthracite / Anthracite / Anthracite



IP 55

IK 08



220V
240V
AC

ALU

PC
TRANS



388A-F0224B-04 ■


2G11 FLUO TC-L 24W

CRI
>80



388A-L3120B-04 ■

LED SMD 20W 2880lm 3000K *



388B-F0224B-04 ■


2G11 FLUO TC-L 24W

CRI
>80



388B-L3120B-04 ■

LED SMD 20W 2880lm 3000K *



388C-F0280B-04 ■

388D-F0280B-04 ■

388E-F0280B-04 ■

2G11 FLUO TC-L 80W

CRI
>80



388C-L3136B-04 ■

388D-L3136B-04 ■

388E-L3136B-04 ■

LED SMD 36W 5720lm 3000K *



Versión con puerta de registro. Consulte disponibilidad.
Available with inspection door. Please ask availability.
Version avec enregistrement. Nous consulter.
Versão com registro. Consulte disponibilidade.


* Disponible en 4000K.

* Available in 4000K.


* Disponible en 4000K.

* Disponível em 4000K.


Disponible con difusor opal.
Available with opal diffuser.
Disponible avec diffuseur opale.
Disponível com difusor opala.



388C




388D



388E


-04 ■ Antracita / Anthracite / Anthracite / Antracite






391A-F0224B-04 ■

2G11 FLUO TC-L 24W



391B-F0224B-04 ■

2G11 FLUO TC-L 24W



-04 ■ Antracita / Anthracite / Anthracite /Antracite





www.novoluxlighting.com